

# Waterboggan™ 3, 5, 6 & 12 Owner's Manual



[WWW.RAVESPORTS.COM](http://WWW.RAVESPORTS.COM)

**Copyright** © All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher. Requests should be mailed to RAVE Sports, 3325 Labore Rd., St. Paul, MN 55110.

## Table of Contents:

Introduction .....	2
Product instructions and warnings.....	3
Waterboggan™ 3 .....	7
Waterboggan™ 5 .....	8
Waterboggan™ 6 .....	9
Waterboggan™ 12 .....	10
Water sports safety code .....	11
Inflation .....	13
Cleaning and storage .....	14
Repairs .....	15

---

---

**Date Purchased:** \_\_\_\_\_

**Purchased from:** \_\_\_\_\_

**Serial Number:** \_\_\_\_\_

(Serial # is located next to the inflation valve on the tube.)

---

---

## Package Contents:

Qty 1- Waterboggan

Qty 1- Double Action Hand Pump

Qty 1- Repair Kit, owner manual, warranty card

## **Introduction**

Thank you for purchasing a RAVE Sports® Waterboggan. This Owner's Manual is presented to enhance your enjoyment of the sport and is intended to alert you to some of the potentially dangerous conditions that can arise in all water sports. It also contains important safety instructions and information about how to assemble, use and care for your product.

Please take a few minutes to read this manual before assembling and using the product. Although the product is simple to use, this manual contains important safety information that you and all users must understand to safely enjoy the Waterboggan.

Make sure that everyone who uses the product also receives proper education and supervision and understands the safety instructions and warnings presented in this manual. Be sure to save this manual for future reference.

If you have any questions regarding this product, please call RAVE Sports at 1-800-659-0790 or visit [www.ravesports.com](http://www.ravesports.com). Please have your serial number available.

# **WARNING**

## **USE OF THIS PRODUCT AND PARTICIPATION IN THE SPORT INVOLVES INHERENT RISKS OF INJURY OR DEATH.**

1. The 3-person tube is designed to carry no more than three persons or 510 lbs. (231 kg).  
The 5-person tube is designed to carry no more than five persons or 850 lbs. (386 kg).  
The 6-person tube is designed to carry no more than six persons or 1,020 lbs. (463 kg).  
The 12-person tube is designed to carry no more than twelve persons or 2,040 lbs. (926 kg).
2. Use correct tow rope specifications for tensile strength for pulling this tube and its riders.
3. Read Operator's Manual before use. Do not remove warnings from the product.

### **Product Instructions and Warnings**

To reduce the risk of injury or death using this tube, follow these guidelines:

- Carefully read this manual and follow the instructions.
- Teach anyone using your tube how to attach it to the rope, how to ride it, and how to maintain it.
- Do not exceed the manufacturer's recommended number of riders for your particular tube.

- If the tube is designed for more than one person, take extra precaution to avoid colliding with one another.
- Never strap or attach anyone to the tube or cover. Never put your feet or hands through the strapping of the towing system or handles. Never wedge your hands or feet under the cover or between the cover and the tube.
- Never attempt jumps or dangerous tricks with your tube. If more than one tube is being towed, avoid collisions with other tubes.
- Scout the area before use to avoid any debris or obstacles that might present a safety hazard.
- Know your own limits. Stop when you are tired. Act responsibly. Be in good physical condition and cautious in your use of this or any other towable tube.
- Check the rope and connectors for frays, cuts, sharp edges, knots, or wear before each use. Discard rope if any such condition exists or if rope appears to be worn. Such conditions may lead to breaks.
- Do not use tow rope with elastic or bungee material to pull riders. Such an addition can break or stretch, which may lead to injury of users or boat occupants.
- The stress on the rope is different than the stress on the tube, and will vary with the weight of the riders, design and surface area of the tube.
- Rope is subject to deterioration when exposed to direct sunlight. The life of the product will be extended when stored away from sunlight.
- The tow rope should be replaced when signs of deterioration appear, indicated by the existence of discoloration, wearing, fraying or unraveling.
- Do not add hardware or attachments that are not otherwise supplied by the manufacturer.

# **! WARNING**

- **Do not use at speeds that exceed the skill of the rider. Boat speed should never exceed 20 mph (32km/h) for adults and 15 mph (24km/h) for children.**
- **This product should never be used by children except under adult supervision.**
- **This is not a personal flotation device.**
- **Always wear a U.S. Coast Guard approved Type III (PFD) vest.**
- **Never place wrists or feet through handles or towing harness. Ensure tow rope is clear of all body parts prior to or during use.**
- **Rider should keep feet out of the water.**
- **Watercraft driver is responsible for the ride since the tube cannot be controlled by the rider.**
- **Always have a person other than the driver observing the rider.**
- **Watercraft driver should avoid excessive speed or sharp turns that might cause the tube to flip over abruptly, resulting in serious injury to the rider.**
- **Do not tow in shallow water or near shore, docks, pilings, swimmers or other boats.**

## **! WARNING**

- Do not exceed the manufacturer's recommended number of riders for your particular tube.
- Use a tow rope of at least 1,500 lbs. (680kg) average tensile strength for pulling a single person; 2,375 lbs. (1077kg) average tensile strength for pulling two people; 3,350 lbs. (1520kg) average tensile strength for pulling three people; 4,100 lbs. (1860kg) average tensile strength for pulling five people; and 6,000 lbs. (2722kg) average tensile strength for pulling six to twelve people on an inflatable tube. The tow rope should be at least 50 feet (15m) in length but not exceed 65 feet (20m).
- Do not operate watercraft or ride under the influence of alcohol or drugs.
- Read Operator's Manual before use.



## **! WARNING**

**USE OF THIS PRODUCT AND PARTICIPATION IN THE SPORT INVOLVES INHERENT RISKS OF INJURY OR DEATH.**

# Waterboggan 3

(Item #03300)

Product	Maximum Speed	Maximum Capacity	Maximum Weight	Working Pressure
Waterboggan 3	20mph (32km/h)	3 Users	510lb (231kg)	2 psi (0,14bar)







# Waterboggan 5

(Item #03500)



Product	Maximum Speed	Maximum Capacity	Maximum Weight	Working Pressure
Waterboggan 5	20mph (32km/h)	5 Users	850lb (386kg)	2 psi (0,14bar)



# Waterboggan 6

(Item #02012 & #02099)



Product	Maximum Speed	Maximum Capacity	Maximum Weight	Working Pressure
Waterboggan 6	20mph (32km/h)	6 Users	1020lb (463kg)	2 psi (0,14bar)



# Waterboggan 12

(Item #02657)

Product	Maximum Speed	Maximum Capacity	Maximum Weight	Working Pressure
Waterboggan 12	20mph (32km/h)	12 Users	2,040 lb (926kg)	2 psi (0,14bar)



## Water Sports Responsibility Code

Water sports are fun and challenging but involve inherent risks of injury or death. To increase your enjoyment of the sport and to reduce your risks, use common sense and follow these rules.

### Before you start:

- Familiarize yourself with all applicable federal, state and local laws, the risks inherent in the sport and the proper use of the equipment.
- Know the waterways.
- Always have a person other than the boat driver as an observer.
- Rider, observer and driver must agree on hand signals.
- Never start out until rider signals he/she is ready. Observer and rider should maintain eye contact.
- Carbon Monoxide (CO) poisoning from engine exhaust may cause injury or death. Do not sit on the boat transom or swim platform while the engine is running. These activities may lead to excessive CO exposure which may cause injury or death. If you can smell engine exhaust while in the boat, do not stay seated in that position for prolonged periods. Never “Platform Drag” by holding onto the swim platform or be dragged directly behind the boat. An improperly tuned engine will produce excessive exhaust. Have your engine checked and corrected by a mechanic. Changing boat speed or direction relative to the wind can reduce or increase boat exhaust from accumulating near the boat and rider. Consult your boat Owners Manual, or the United States Coast Guard’s website: [www.uscgboating.org](http://www.uscgboating.org) for more information on how to help protect others and yourself from the dangers of CO poisoning
- Use caution and common sense.

### Your equipment and your tow rope:

- Inspect all equipment prior to use. Check tube and attachment point and flotation device prior to each use. Do not use if damaged.
- Always wear a U.S. Guard Type III (PFD) vest.
- Ropes should be attached to the watercraft in an approved fashion with hardware designed for pulling. Refer to your watercraft manual for instructions on proper tow rope attachment.
- Tow ropes stretch during use. If a rope breaks or is suddenly released, it can snap back into the watercraft. Warn all riders and occupants of the danger of the rope recoil.
- When in the boat, keep away from the tow rope to avoid injury. Passengers can be hit or become entangled in the rope.
- Inspect tow rope and its attachments before using. Do not use tow rope if frayed, knotted or damaged. Replace when signs of excessive deterioration are indicated by discoloration, broken filaments, unraveling or other obvious signs of wear on the rope or hardware.
- Use proper tow rope for the activity.
- Ensure tow rope is clear of all body parts prior to starting out or during use.
- Keep persons and tow ropes away from propeller when engine is running, even in neutral. Should rope become entangled in propeller, **SHUT OFF ENGINE AND REMOVE IGNITION KEY BEFORE RETRIEVING ROPE.**

### When you ride:

- Attempting land or dock starts can increase the risk of injury or death. **USE THIS PRODUCT ONLY ON WATER.**

- Always remove any slack in the rope between watercraft and rider before starting. Sudden shock loads may cause injury to the rider or failure of rope, resulting in snap-back or breakage.
- Do not ride in shallow water, near shore, pilings, docks, rafts, swimmers, other boats or other obstacles. Such obstacles are examples of risks inherent to the sport.
- The driver and rider must watch for and be able to stop or turn to avoid obstacles.
- Always ride in control and at speeds appropriate for your ability. Ride within your limits. Follow instructions on tube for safe speed limits.
- Do not ride over ramps or jumps.
- Falling and the injuries that may result are inherent risks in the sport.
- Use a flag to signal to others that a rider is in the water.
- Driver must use extra caution approaching fallen rider and keep eye contact on fallen rider at all times.
- Put the boat in neutral when near a fallen rider. Turn the engine off when people are getting in or out of the boat, or while in the water near the boat.
- Do not operate watercraft or ride under the influence of alcohol or drugs.


## **Inflating Your Waterboggan**

### **Step 1**

Lay the Waterboggan on a flat surface. Make sure there are no sharp objects under the product that might puncture the tube.

### **Step 2**

Locate the three valve openings on the Waterboggan and inflate. Inflate side stabilizer tubes first, then the main tube.



To open valve, depress stem and rotate clockwise. To close valve, depress stem and rotate counter-clockwise.

The valve stem should be in the depressed position while inflating. Once inflation is complete, remove the blower and quickly close the valve to avoid loss of pressure.

To check the exact pressure of your product the use of a RAVE Digital Pressure Gauge (Item #02496) is recommended.

### **Step 3**

Attach a properly rated tow rope (not included).

## **! WARNING**

**DO NOT OVER-INFLATE.** Use of an air compressor or over-inflation can rupture the tube beyond repair, thus voiding the warranty.

### **Cleaning and Storage**

- When the inflatable product is not being used, store it in a covered, shaded area. This will help protect it against ultraviolet (UV) rays and extend the life of the product.
- Clean the inflatable completely with a mild soap and fresh water. **NEVER USE PETROLEUM BASED PRODUCTS OR SOLVENTS FOR CLEANING.**
- Product should be completely dry and remain dry while stored.

- Roll the product loosely and place in a container, preferably one that rodents can't chew through.
- Secure the product to prevent unauthorized or unsupervised use.
- Store in a cool, dry location. Do not store product directly on concrete surface. Place mothballs around stored inflatable to keep mice and insects away.

## Repairs

For large holes, tears or seam failures, contact RAVE Sports Customer Service at 1-800-659-0790. Additional patches are available for purchase at [www.ravesport.com](http://www.ravesport.com).

For minor holes or tears:

- Inflate the product and locate the leak by spraying the tube with mild soapy water.
- Determine the hole size and cut a patch 1-2 (3-5cm) inches wider than the diameter of the hole. Make sure all corners of the patch are rounded.
- Deflate the product and clean the patch and area around the hole with rubbing alcohol. Let dry.
- **READ AND UNDERSTAND THE WARNINGS ON THE GLUE CONTAINER.**
- Apply glue to the patch and the area around the hole. Let the glue dry until it is tacky to the touch.
- Lay the product on a flat, hard surface and apply the patch. Working from the center to the outer edge, rub out any air bubbles between the patch and the product.
- Let the patch dry for 24 hours before attempting to inflate the product.



RAVE

S P O R T S®

RAVE

S P O R T S®

THIS PAGE INTENTIONALLY LEFT BLANK.

RAVE

S P O R T S®

RAVE

S P O R T S®

**RAVE**  
S P O R T S®

**RAVE**  
S P O R T S®

**THIS PAGE INTENTIONALLY LEFT BLANK.**

**RAVE**  
S P O R T S®

**RAVE**  
S P O R T S®

RAVE

S P O R T S®

RAVE

S P O R T S®

THIS PAGE INTENTIONALLY LEFT BLANK.

RAVE

S P O R T S®

RAVE

S P O R T S®



[WWW.RAVESPORTS.COM](http://WWW.RAVESPORTS.COM)

**RAVE SPORTS**

A Revel Match, LLC Company

3325 Labore Road

Saint Paul, Minnesota 55110

800.659.0790

January 2016