

Aqua Jump™ 10 / Aqua Deck™ - Ladder Instructions


Step 1:

The ladder consists of two pieces: a ladder with straps and a molded plastic ladder stabilizer.

Orient the stabilizer on the notched side of the top two ladder steps and the curved portion is facing upwards towards the top of the ladder. While maintaining this orientation, flip the ladder upside down to expose the underside of the steps.


Step 2:

Line up the large opening of the keyhole slots with the four bolts on the underside of the top two steps.




Step 3:

Slide the stabilizer towards the ladder to fully engage the bolts in the narrow end of the slots. Tap the stabilizer with your hand to ensure the bolts are fully engaged in the slots.



Note: If the stabilizer feels loose after mounting, tighten the bolts slightly leaving minimal clearance between the bolt flange and the plastic stabilizer. This slight clearance will allow the stabilizer to be easily removed by hand (without tools) for storage in your carry bag. To remove stabilizer, simply slide in opposite direction.



Step 4:

Attach the ladder to the trampoline frame by looping the quick link under then around the frame and securing the quick link to the ladder webbing.

Step 5:

When properly installed, the ladder will hang with the curved portion of the stabilizer against the underside of the tube.



Table of Contents


Aqua Jump™ 10 / Aqua Deck.....	2
Aqua Jump™ 25 / 20 / 15.....	3
Bongo™ 15'.....	3
Bongo™ 13' / 10'.....	4-6

Copyright © All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher. Requests should be mailed to RAVE Sports, 3325 Labore Rd., St. Paul, MN 55110.

Aqua Jump™ 15'/20'/25' - Ladder Instructions


Position the ladder left of the air valve so that the warning label on the tube is visible to anyone climbing the ladder. On the Aqua Jump 10 ft., the ladder should be mounted directly opposite the anchor point.

Attach the ladder to the trampoline frame by looping the quick link under then around the frame and securing the quick link to the ladder webbing.





Bongo™ 15' - Ladder Instructions

Move the Bongo to shallow water. Attach the ladder in the center of the blue panel to the left of the air valve so that the warning label on the tube is visible to anyone climbing the ladder. The RAVE lettering on the ladder steps should be facing the climber.



Feed both ends of the ladder straps around the lacing rope of the Bongo. Pull them through far enough so that the quick link reaches just below the second handle. Feed the webbing into the quick link & turn the nut until closed and the link is secured around the strap just below the handle.

Make sure the ladder straps are on the proper side of the lacing loops of your Bongo (as shown below) to prevent premature wear/tear.



Bongo™ 10'/13' - Ladder Instructions

Step 1:

The ladder consists of two pieces: a ladder with straps and a molded plastic ladder stabilizer.

Orient the stabilizer on the notched side of the top two ladder steps and the curved portion is facing upwards towards the top of the ladder. While maintaining this orientation, flip the ladder upside down to expose the underside of the steps.




Step 2:

Line up the large opening of the keyhole slots with the four bolts on the underside of the top two steps.



Step 3:


Slide the stabilizer towards the ladder to fully engage the bolts in the narrow end of the slots. Tap the stabilizer with your hand to ensure the bolts are fully engaged in the slots.



Note: If the stabilizer feels loose after mounting, tighten the bolts slightly leaving minimal clearance between the bolt flange and the plastic stabilizer. This slight clearance will allow the stabilizer to be easily removed by hand (without tools) for storage in your Bongo carry bag. To remove stabilizer, simply slide in opposite direction.

Step 4:

To use on water, attach the ladder in the center of the blue panel to the left of the yellow panel that contains the air valve. The warning label on the bounce surface must be visible to anyone climbing the ladder.




Right side strap


Attach the ladder by looping the quick link, and webbing around Bongo lacing rope so the quick link finishes on the underside of the webbing strap as shown in the first picture. Weave the quick link into the webbing loop just above the second handle. Turn the nut until tightly closed.

Attached correctly, the quick link connection should be


covered by the top webbing strap. The straps should be as close to parallel as possible.



IMPORTANT: It is critical that you loop the webbing properly around the rope so that they do not rub against the vinyl (see photos).



CORRECT. The left side of the ladder should be attached to the left of the black loop. (The right side of ladder, not shown, should be to the right of the black loop.) The webbing's inside edge should rest against the black nylon loop that surrounds the lacing rope.



INCORRECT. The webbing must not pull against the vinyl loops. Rubbing the vinyl may cause premature wear and tear.

Step 5:

When properly installed, the ladder will hang with the curved portion of the stabilizer against the underside of the Bongo.

Photo shown with Bongo out of water to show proper ladder orientation.

